



Report No. A221031773710102

Page 1 of 4

Company Name
Shown on Report SHENZHEN JDB TECH. CO. LTD.Address ROOM 1105-1108, NO.2 BUILDING, EST MALL BUSINESS CENTER,
NO.698 CHANGBANG ROAD, XIACHENG DISTRICT, 310004,
HANGZHOU, CHINA**The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client**

Sample Name	样品 1
Material	pcb
Sample Received Date	Aug. 9, 2021
Testing Period	Aug. 9, 2021-Aug. 17, 2021

Test Requested

No.	Test Item
1	Glass transition temperature

Test Result(s): Please see the following pages.Approved by Annie LangDate Aug. 17, 2021Annie Lang
Approved Signatory

No. RF33A28FD6

Centre Testing International Group Co., Ltd.

Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China

Test Report


Report No. A221031773710102

Page 2 of 4

Tested Sample(s)

Sample No.	Sample Name	Material
A2210317737101001	样品 1	pcb

Sample Photo(s)



A2210317737101001

Test Report

Report No. A221031773710102

Page 3 of 4

Test Item: Glass transition temperature**1. Test Equipment**

Equipment Name	Model
Thermal Mechanical Analysis(TMA)	Q400EM

2. Environmental Conditions

Temperature: 22.5°C; Humidity: 49%RH

3. Test Standard: IPC-TM-650 2.4.24C**4. Test Condition**


(1) Preconditioning: Sample(s) is(are) preconditioned by baking for 2h at 105°C, then cooled to room temperature in a desiccator.

(2) Test condition: Heat from 30°C to 270°C at a rate of 10°C/ min in N₂.

5. Test Result(s)

Test Sample	Glass Transition Temperature (°C)
A2210317737101001	157.10

Test Curve:



Test Report

Report No. A221031773710102

Page 4 of 4

Remark: The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

Statement:

- 1.This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2.Company Name and Address shown on Report, the sample(s) and sample Information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3.The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4.Without written approval of CTI, this report can't be reproduced except in full;
- 5.In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

*** End of Report ***

