



Report No. A221031773710109 Page 1 of 5

Company Name

SHENZHEN JDB TECH. CO. LTD.

Shown on Report

ROOM 1105-1108, NO.2 BUILDING, EST MALL BUSINESS CENTER,

Address NO.698 CHANGBANG ROAD, XIACHENG DISTRICT, 310004,

HANGZHOU, CHINA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name 样品 1

Material pcb

Sample Received Date Aug. 9, 2021

Testing Period Aug. 9, 2021-Aug. 17, 2021

Test Requested

No.	Test Item	
1	Porosity	

Test Result(s): Please see the following pages.

Approved by

Annie Lang

Annie Lang

Date

Aug. 17, 2021

Approved Signatory

ERNATION

ENTER Desting Attenuations Stroup Co., Ltd.

No. RF33A28FD6

Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China




Report No. A221031773710109 Page 2 of 5

Tested Sample(s)

Sample No.	Sample Name	Material
A2210317737101001	样品1	pcb

Sample Photo(s)



A2210317737101001





Report No. A221031773710109 Page 3 of 5

Test Item: Porosity

1. Test Equipment

Equipment Name	Model
Digital-tool Microscope	VHX-5000

2. Environmental Conditions

Temperature: 23.5°C; Humidity: 51%RH

3. Test Standard: IPC-TM-650 2.3.24.2A

4. Test Condition

(1) Add fresh HNO3(70±1%) to the bottom of the clean and dry test chamber, and immediately close the cover. After 30 min, cleaning the samples into containers. The exposure time to nitric acid vapor shall be 60 min.

- (2) Dipping samples in 10% NaOH at room temperature for 25~30 seconds and water rinse.
- (3) Dipping samples in the solution of polysulfide reagent for 25~30 seconds and water rinse.
- (4) After drying and measure the size of the corrosion products.

5. Test Result(s)

Test sample	Corrosion product diameter (unit: mm)	Amount of corrosion product(black) (unit: pcs)
A2210317737101001	D≤0.05	38
	0.05< D<0.51	11
	0.51≤ D	0


用i





Report No. A221031773710109 Page 4 of 5

Test photos:



Test position



Photo(s) of sample A2210317737101001 before test(50X)



Photo(s) of sample A2210317737101001 after $test(50X) \label{eq:approx}$

Remark: The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.





Report No. A221031773710109 Page 5 of 5

Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2.Company Name and Address shown on Report, the sample(s) and sample Information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5.In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

*** End of Report ***